
TUNGSRAM

Innovation is our heritage EST. 1896





CerMH Single Ended CMH35/T/UVC/U/830/G12 PLUS TU 93095371

Product information

Low watt **CerMH lamps** have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

CerMH Premium technology platform has been developed with specific focus to retail applications. This technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, whihle maintaining long life and reliability. These qualities are why Tungsram is the leader in ceramic metal halide technology.

Application areas







CerMH Single Ended CMH35/T/UVC/U/830/G12 PLUS TU 93095371

Product data

Product Code	93095371
Light Center Length [mm]	56
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	90
Net weight per piece [g]	23
Gross weight per piece [g]	33
Operating position	U - Universal
Mercury Content [mg]	4.8
UV radiance	Exempt
Brand	Tungsram
Cap/Base	G12

Performance data

Colour Code	830
Rated Lumens [lm]	3520
Weighted energy consumption [kWh/1000h]	43.37
Nominal efficacy [LpW]	97
Rated efficacy [LpW]	89.3
Energy efficiency class (EEC)	G
Nominal chromaticity coordinate X	0.435
Nominal chromaticity coordinate Y	0.4
Nominal correlated colour temperature (CCT) [K]]	3000
Nominal lumens [lm]	3400
Colour Rendering Index (CRI) [Ra]	84



CerMH Single Ended CMH35/T/UVC/U/830/G12 PLUS TU 93095371


Electrical data

Rated power [W]	39.4
Lamp Current [A]	0.4
Design Ambient Temperature [°C]	25
Run-up time (sec)	120
Hot restart time (sec)	420
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	35
Nominal lamp voltage [V]	90


Logistic data

DUN Code	15994100015991
EAN Code	5994100015994
Pack Quantity	12
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	960 EUR, 1236 UK
Layer quantity EUR	960
Layer quantity UK	1236
Pallet quantity EUR (PC)	8640
Pallet quantity UK (PC)	11124
Outer case size	138 x 82 x 118 (mm)
Product status	Available

Light distribution




Lumen maintenance data





CerMH Single Ended CMH35/T/UVC/U/830/G12 PLUS TU 93095371

Survival data



Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Product datasheet (PDF)

High-res images / Technical drawings (HTTP)

