



80
kWh/1000h

A+
energy class

100
lumens/watt

ConstantColor™ CMH Single Ended Mini

CMH70/TC/UVC/U/830/G8.5 PLUS TU
93095265

Product information

GE's low watt **CMH lamps** have opened new possibilities for lighting design, combining the power and light quality of far larger and less efficient lamps. It is now possible to achieve lighting design that could not be achieved previously with inferior technologies.

GE's new **ConstantColor™ CMH Precise™** technology platform has been developed with specific focus to retail applications. GE Precise™ technology offers superb overall light quality, outstanding lumen maintenance, improved efficacy, while maintaining long life and reliability. These qualities are why GE is the leader in ceramic metal halide technology.

Application areas



Retail



Industrial

Product data

Product Code	93095265
Light Center Length [mm]	52
Bulb Shape	Tubular
Bulb Finish	Clear
Net weight per piece [g]	10
Gross weight per piece [g]	42
Operating position	U - Universal
UV radiance	Exempt
Brand	Tungsram
Cap/Base	G8.5

Performance data

Colour Code	830
Rated Lumens [lm]	7233
Weighted energy consumption [kWh/1000h]	79.2
Rated efficacy [LpW]	100.5
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.4301
Nominal chromaticity coordinate Y	0.4011
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	7000
Colour Rendering Index (CRI) [Ra]	83

Electrical data

Rated power [W]	72.0
Lamp Current [A]	1
Design Ambient Temperature [°C]	25
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	70
Nominal lamp voltage [V]	85

Logistic data

DUN Code	15994100015939
EAN Code	5994100015932
Pack Quantity	12
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	960 EUR, 1236 UK
Layer quantity EUR	960
Layer quantity UK	1236
Pallet quantity EUR (PC)	8640
Pallet quantity UK (PC)	11124
Outer case size	138 x 82 x 118 (mm)
Product status	Available