



**EGLO**  
my light | my style



**2021**

**AIR MOVEMENT**





<a href="#">Why choose EGLO Fans</a>	p. 2 - 3
<a href="#">Fans Know-How</a>	p. 4 - 7
<a href="#">Overview</a>	p. 8 - 9
<a href="#">Ceiling Fans</a>	p. 10 - 1991
<a href="#">Exhaust/Heat/Light</a>	p. 92 - 99
<a href="#">Index &amp; Legend</a>	p. 100 - 104



**Long Life Motors**



**High Quality, High Performance**

# WHY CHOOSE EGLO FANS?



**Low Cost Operation**



**Whisper Quiet Operation**



Feel Up To 8° Cooler In Summer



Save Energy



Save Up To 10%  
On Power Bills  
In Winter



Sizes For All Rooms

# Energy Savings

EGLO ceiling fans are more than just stylish additions to your home, they are also an environmentally way to save money & energy.


Our fans allow you to be more sustainable with electricity, by working with your existing air conditioning or heating to not only reduce energy use and have a reduced impact on the environment, but also to save you money on your electricity bills.

Though a ceiling fan does not actually lower the room temperature, it provides a downward airflow which can make you feel up to 8 degrees cooler. When used in conjunction with air conditioning in summer months, this allows you to raise the temperature on your air conditioner by up to 2.2°C, yet keeping you just as cool.

In reverse mode your fan gently draws warmer air down from ceiling level and balances the rooms temperature. For winter months, this means you can lower your thermostat setting on other heating appliances within your room, saving energy and reducing your heating costs by as much as 10%.\*




## Low Cost Operation



**35-60W\***



**60W\***




**2000W\***


\* Typical Energy consumption per hour



## Save Energy



+




=


**40%**  
Energy savings

10%

Save Up To 10% On Power Bills In Winter



+




=


10%  
Energy savings

8°

Feel Up To 8° Cooler In Summer



+



=

8°  
Cooler

## Reliability & Quality

All EGLO motors are manufactured using only the highest quality materials and components, providing years of reliable and dependable operation, every day, year after year.

EGLO's vigorous in-house testing and quality control ensure reliable quality and superior performance.

LONG LIFE

Long Life Motor

- Up to 70% less energy use
- Light weight for easy installation
- Multi-speed control to suit all applications
- Additional features like timer, natural breeze, tri-colour LED light options & more

PSST...

Whisper Quiet Operation



Ideal for living rooms, bedrooms, & offices.



## High Quality, High Performance

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12,5	12,200	976
6	20	15,650	782.5

**Designed for  
ENERGY SAVING**  
Power use watts - W  
Lower wattage fans save  
more energy.

**Engineered for  
PERFORMANCE**  
Airflow - m<sup>3</sup>/hr  
Higher airflow fans  
circulate more air.

**Crafted for  
AIRFLOW EFFICIENCY**  
Efficiency - m<sup>3</sup>/W  
Higher airflow efficiency  
fans move more air  
per watt.




# Sizing To Suit Your Room

An appropriately sized fan not only needs to give you maximum energy efficiency, but also needs to look proportioned and balanced to the size of your room. Sometimes selecting a slightly larger fan which will achieve the same airflow on a lower speed as a smaller fan on high speed, will result in quieter and more energy efficient operation.

Measure your room to assist with choosing a fan size from this table, keeping in mind for very large rooms multiple fans may be a more effective option.



## Sizes For All Rooms



Room Size (m <sup>2</sup> )	Fan Size (Inches)	Fan Size (cm)
< 7 m <sup>2</sup>	27" – 35"	70 cm – 90 cm
7 m <sup>2</sup> – 13 m <sup>2</sup>	35" – 39"	90 cm – 100 cm
13 m <sup>2</sup> – 20 m <sup>2</sup>	39" – 44"	100 cm – 112 cm
20 m <sup>2</sup> – 27 m <sup>2</sup>	44" – 53"	112 cm – 137 cm
27 m <sup>2</sup> – 34 m <sup>2</sup>	> 53"	>137 cm

# OVERVIEW





**BONDY 48**  
p. 11 - 15



**BONDY 52**  
p. 16 - 21



**CABARITA**  
p. 23 - 25



**NEVIS II**  
p. 27 - 29



**NEVIS**  
p. 31 - 39



**NOOSA 40**  
p. 40 - 43



**NOOSA 46**  
p. 45 - 49



**NOOSA 52**  
p. 51 - 67



**NOOSA 60**  
p. 58 - 73



**COMPORTA**  
p. 75



**ZAPALLAR**  
p. 77



**TOURBILLION 60**  
p. 79 - 81



**TOURBILLION 80**  
p. 83 - 85



**TOURBILLION LIGHT**  
p. 87



**FAN REMOTE**  
p. 89



**DOWNROD**  
p. 90



**VESUVIUS**  
p. 93 - 95



**HEATFLOW**  
p. 96 - 97



**INFERNO**  
p. 98



# Bondi 48

# BONDI 48

Ø 48.0 / 1220 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



## 203619

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt



included



56 W




13792  
m<sup>3</sup>/h



15°



### Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	284	11.18
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.5	5,632	388.41
2	32.7	9,648	295.05
3	59.5	13,792	231.8

### Optional accessories

	Page	
Remote Kit	Page 88	203619, 203633
Extension Rods	Page 90	203628, 203629
LED Kit		-



*Bondi 48*

# BONDI 48

Ø 48.0 / 1220 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE

## 203621

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included



## 204739

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



included

**AC**  
MOTOR

56 W

**AIRFLOW**

13792  
m<sup>3</sup>/h

**HANG SURE  
CANOPY**

15°


**ANTI-UV  
ABS**

**INDOOR &  
COVERED  
OUTDOOR USE**

**QUICK  
CONNECT**

**WIFI**

### Dimensions



	mm	inches
A	1220	48.0
B	316	12.4
C	284	11.18
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.5	5,632	388.41
2	32.7	9,648	295.05
3	59.5	13,792	231.8

### Optional accessories

	Page	203621	204739
Remote Kit	Page 88	203633	203633
Extension Rods	Page 90	203631, 203632	204744, 204745
LED Kit		-	-

# BONDI 48

Ø 48.0 / 1220 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



## 203622

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included

**AC**  
MOTOR

56 W

**AIRFLOW**

13792  
m<sup>3</sup>/h

**HANG SURE  
CANOPY**

15°

**ANTI-UV  
ABS**

**LED**

20W

**TRI  
COLOUR**

1750lm/  
2100lm/  
2000lm


**STEP  
DIMMING**

**INDOOR &  
COVERED  
OUTDOOR USE**

**QUICK  
CONNECT**

**REMOTE CONTROL  
ADAPTABLE**

### Dimensions



	mm	inches
A	1220	48.0
B	334	13.1
C	284	11.18
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.5	5,632	388.41
2	32.7	9,648	295.05
3	59.5	13,792	231.8

### Optional accessories

	Page	
Remote Kit	Page 88	203622 203633
Extension Rods	Page 90	203628, 203629
LED Kit		-



# BONDI 48

Ø 48.0 / 1220 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE

## 203623

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt

## 204741

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



included



included

**AC**  
MOTOR

56 W

**AIRFLOW**

13792  
m<sup>3</sup>/h

**HANG SURE  
CANOPY**

15°

**ANTI - UV  
ABS**

**LED**

20W

**TRI  
COLOUR**

1750lm/  
2100lm/  
2000lm


**STEP  
DIMMING**

**INDOOR &  
COVERED  
OUTDOOR USE**

**QUICK  
CONNECT**

**REMOTE CONTROL  
ADAPTABLE**

### Dimensions



	mm	inches
A	1220	48.0
B	334	13.1
C	284	11.18
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.5	5,632	388.41
2	32.7	9,648	295.05
3	59.5	13,792	231.8

### Optional accessories

	Page	203623	204741
Remote Kit	Page 88	203633	203633
Extension Rods	Page 90	203631, 203632	204744, 204745
LED Kit		-	-

# BONDI 52

Ø 52.0 / 1320 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



## 203624

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt



included



60 W




13303  
m<sup>3</sup>/h



15°



### Dimensions



	mm	inches
A	1320	52.0
B	316	12.4
C	285	11.22
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.4	5,103	354.38
2	32.7	9,364	286.36
3	61	13,303	218.08

### Optional accessories

Optional accessories	Page	Product Code
Remote Kit	Page 88	203633
Extension Rods	Page 90	203628, 203629
LED Kit		-

# BONDI 52

Ø 52.0 / 1320 mm



## 203625

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included

## 204742

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



included



60 W




13303 m<sup>3</sup>/h



15°



### Dimensions



	mm	inches
A	1320	52.0
B	316	12.4
C	285	11.22
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.4	5,103	354.38
2	32.7	9,364	286.36
3	61	13,303	218.08

### Optional accessories

	Page	203625	204742
Remote Kit	Page 88	203633	203633
Extension Rods	Page 90	203631, 203632	204744, 204745
LED Kit		-	-



# Bondi 52

# BONDI 52

Ø 52.0 / 1320 mm

6  
YEAR  
PRODUCT  
WARRANTY

3  
YEAR  
IN-HOME  
WARRANTY



## 203626

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt



included



60 W



13303  
m<sup>3</sup>/h



15°




20W



1750lm/  
2100lm/  
2000lm



### Dimensions



	mm	inches
A	1320	52.0
B	334	13.1
C	285	11.22
D	150	5.91
E	58	2.28

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.4	5,103	354.38
2	32.7	9,364	286.36
3	61	13,303	218.08

### Optional accessories

Optional accessories	Page	Product Code
Remote Kit	Page 88	203633
Extension Rods	Page 90	203628, 203629
LED Kit		-



*Bondi 52*

# BONDI 52

Ø 52.0 / 1320 mm

6 YEAR  
PRODUCT  
WARRANTY

3 YEAR  
IN-HOME  
REVERSIBLE



**203627**

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included



**204743**

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



included

**AC**  
MOTOR

60 W

**AIRFLOW**

13303  
m<sup>3</sup>/h

**HANG SURE  
CANOPY**

15°

**ANTI-UV  
ABS**

**LED**

20W

**TRI  
COLOUR**

1750lm/  
2100lm/  
2000lm


**STEP  
DIMMING**

**INDOOR &  
COVERED  
OUTDOOR USE**

**QUICK  
CONNECT**

**REMOTE CONTROL  
ADAPTABLE**

## Dimensions



	mm	inches
A	1320	52.0
B	334	13.1
C	285	11.22
D	150	5.91
E	58	2.28

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	14.4	5,103	354.38
2	32.7	9,364	286.36
3	61	13,303	218.08

## Optional accessories

	Page	203627	204743
Remote Kit	Page 88	203633	203633
Extension Rods	Page 90	203631, 203632	204744, 204745
LED Kit		-	-



*Cabarita*



# CABARITA

Ø 50.0 / 1270 mm



## 204351

Housing

steel, white matt

Blades

ABS, UV Resistant, white matt



included



## 204352

Housing

steel, black matt

Blades

ABS, UV Resistant, black matt



included



35 W



10080 m<sup>3</sup>/h



6 speed




13°



1/4/8 h



### Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.81
D	164	6.46
E	90	3.54

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	2,520	630
2	6.7	3,840	573.13
3	10.4	5,290	508.65
4	16	6,170	385.63
5	25	7,920	316.8
6	34	10,080	296.47

### Optional accessories

	Page	204351	204352
Remote Kit		-	-
Extension Rods	Page 90	204346, 204348	204347, 204349
LED Kit		-	-



# Cabarita

# CABARITA

Ø 50.0 / 1270 mm

6  
YEAR  
PRODUCT  
WARRANTY

3  
YEAR  
IN-HOME



REVERSIBLE



## 204353

### Housing

steel, white matt

### Blades

ABS, UV Resistant, bamboo



included



## 204354

### Housing

steel, black matt

### Blades

ABS, UV Resistant, koa



included



35 W



10080  
m<sup>3</sup>/h



6 speed




13°



1/4/8h



## Dimensions



	mm	inches
A	1270	50.0
B	300	11.8
C	300	11.81
D	164	6.46
E	90	3.54

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	2,520	630
2	6.7	3,840	573.13
3	10.4	5,290	508.65
4	16	6,170	385.63
5	25	7,920	316.8
6	34	10,080	296.47

## Optional accessories

	Page	204353	204354
Remote Kit		-	-
Extension Rods	Page 90	204346, 204348	204347, 204349
LED Kit		-	-



*Nevis 11*

# NEVIS II

Ø 52.0 / 1320 mm



## 204169

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt

included



## 204171

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, black matt

included



45 W



8325 m<sup>3</sup>/h



5 speed




14°



1/4/8h



## Dimensions



	mm	inches
A	1320	52.0
B	300	11.8
C	264	10.39
D	145	5.71
E	55	2.17

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2	4,186	2,093
2	10	5,852	585.2
3	15	6,708	447.2
4	20	7,278	363.9
5	31	8,325	268.55

## Optional accessories

	Page	204169	204171
Remote Kit		-	-
Extension Rods	Page 90	204311, 204313	204312, 204314
LED Kit		-	-



# Nevis II

# NEVIS II

Ø 52.0 / 1320 mm



## 204172

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt

included



## 204173

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, black matt

included



45 W



8325 m<sup>3</sup>/h



5 speed



14°



18W




1900lm



1/4/8 h



## Dimensions




	mm	inches
A	1320	52.0
B	323	12.7
C	264	10.39
D	145	5.71
E	55	2.17

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2	4,186	2,093
2	10	5,852	585.2
3	15	6,708	447.2
4	20	7,278	363.9
5	31	8,325	268.55

## Optional accessories

	Page	204172	204173
Remote Kit		-	-
Extension Rods	Page 90	204311, 204313	204312, 204314
LED Kit		-	-



*Nevis*



# NEVIS

Ø 52.0 / 1320 mm



## 202748

### Housing

steel, white matt

### Blades

ABS, UV Resistant, white matt

included



## 202749

### Housing

steel, black matt

### Blades

ABS, UV Resistant, black matt

included



45 W



8325 m<sup>3</sup>/h



5 speed




14°



1/4/8h

## Dimensions



	mm	inches
A	1320	52.0
B	300	11.8
C	290	11.42
D	145	5.71
E	55	2.17

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	4,273	1,068.25
2	10	5,828	582.8
3	15.5	6,716	433.29
4	20.5	7,326	357.37
5	30.5	8,325	272.95

## Optional accessories

	Page	202748	202749
Remote Kit		-	-
Extension Rods	Page 90	204311, 204313	204312, 204314
LED Kit		-	-



*Nevis*

# NEVIS

Ø 52.0 / 1320 mm



## 202751

### Housing

steel, white matt

### Blades

ABS, UV Resistant, white matt

included



## 202752

### Housing

steel, black matt

### Blades

ABS, UV Resistant, black matt

included



45 W



8325 m<sup>3</sup>/h



5 speed



14°



18W




1500lm



1/4/8h

## Dimensions



	mm	inches
A	1320	52.0
B	330	13
C	290	11.42
D	145	5.71
E	55	2.17

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	4,273	1,068.25
2	10	5,828	582.8
3	15.5	6,716	433.29
4	20.5	7,326	357.37
5	30.5	8,325	272.95

## Optional accessories

	Page	202751	202752
Remote Kit		-	-
Extension Rods	Page 90	204311, 204313	204312, 204314
LED Kit		-	-



*Nevis*

# NEVIS

Ø 52.0 / 1320 mm



included

## 204305

**Housing**

steel, black matt

**Blades**

ABS, UV Resistant, teak



included

## 204306

**Housing**

steel, black matt

**Blades**

ABS, UV Resistant, aged elm



45 W



8325 m<sup>3</sup>/h



5 speed



14°




ANTI-UV  
ABS



1/4/8h

### Dimensions



	mm	inches
A	1320	52.0
B	300	11.8
C	290	11.42
D	145	5.71
E	55	2.17

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	4,273	1,068.25
2	10	5,828	582.8
3	15.5	6,716	433.29
4	20.5	7,326	357.37
5	30.5	8,325	272.95

### Optional accessories

	Page	204305	204306
Remote Kit		-	-
Extension Rods	Page 90	204312, 204314	204312, 204314
LED Kit		-	-

# NEVIS

Ø 52.0 / 1320 mm



## 204304

### Housing

steel, white matt

### Blades

ABS, UV Resistant, bamboo



included



45 W



8325 m<sup>3</sup>/h



5 speed




14°



1/4/8h

### Dimensions



	mm	inches
A	1320	52.0
B	300	11.8
C	290	11.42
D	145	5.71
E	55	2.17

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	4,273	1,068.25
2	10	5,828	582.8
3	15.5	6,716	433.29
4	20.5	7,326	357.37
5	30.5	8,325	272.95

### Optional accessories

	Page	204304
Remote Kit		-
Extension Rods	Page 90	204311, 204313
LED Kit		-

# NEVIS

Ø 52.0 / 1320 mm



## 204307

### Housing

steel, white matt

### Blades

ABS, UV Resistant, bamboo



included



45 W



8325 m<sup>3</sup>/h



5 speed



14°



18W




1500lm



1/4/8 h

### Dimensions



	mm	inches
A	1320	52.0
B	330	13
C	290	11.42
D	145	5.71
E	55	2.17

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	4,273	1,068.25
2	10	5,828	582.8
3	15.5	6,716	433.29
4	20.5	7,326	357.37
5	30.5	8,325	272.95

### Optional accessories

	Page	204307
Remote Kit		-
Extension Rods	Page 90	204311, 204313
LED Kit		-



*Nevis*



# NEVIS

Ø 52.0 / 1320 mm

**6** YEAR  
PRODUCT  
WARRANTY



## 204308

### Housing

steel, black matt

### Blades

ABS, UV Resistant, teak



included



## 204309

### Housing

steel, black matt

### Blades

ABS, UV Resistant, aged elm



included



45 W



8325 m<sup>3</sup>/h



5 speed



14°



18W




1500lm



1/4/8h

## Dimensions



	mm	inches
A	1320	52.0
B	330	13
C	290	11.42
D	145	5.71
E	55	2.17

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4	4,273	1,068.25
2	10	5,828	582.8
3	15.5	6,716	433.29
4	20.5	7,326	357.37
5	30.5	8,325	272.95

## Optional accessories

	Page	204308	204309
Remote Kit		-	-
Extension Rods	Page 90	204312, 204314	204312, 204314
LED Kit		-	-

# NOOSA 40

Ø 40.0 / 1016 mm



**204781**

**Housing**

ABS, UV Resistant, white matt

**Blades**

ABS, UV Resistant, white matt



included



22 W



15650 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



## Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12.5	12,200	976
6	20	15,650	782.5

## Optional accessories

	Page	204781
Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-

# NOOSA 40

Ø 40.0 / 1016 mm



**204782**

**Housing**

ABS, UV Resistant, black matt

**Blades**

ABS, UV Resistant, black matt



included



**204783**

**Housing**

ABS, UV Resistant, titanium

**Blades**

ABS, UV Resistant, titanium



included



22 W



15650 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



## Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12.5	12,200	976
6	20	15,650	782.5

## Optional accessories

	Page	204782	204783
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-

# NOOSA 40

Ø 40.0 / 1016 mm



**204787**

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



DC MOTOR

22 W



AIRFLOW

15650 m<sup>3</sup>/h



6 speed



HANG SURE CANOPY

13°



ANTI-UV ABS



LED

18W



TRI COLOUR

2000lm



NATURAL BREEZE




TIMER

2/8 h



INDOOR & COVERED OUTDOOR USE

## Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12.5	12,200	976
6	20	15,650	782.5

## Optional accessories

	Page	204787
Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-

# NOOSA 40

Ø 40.0 / 1016 mm



included

## 204788

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included

## 204789

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



22 W



15650 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h

### Dimensions



	mm	inches
A	1016	40.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.1	2,410	777.42
2	4.1	4,830	1,178.05
3	5.5	6,380	1,160
4	8.2	9,080	1,107.32
5	12.5	12,200	976
6	20	15,650	782.5

### Optional accessories

	Page	204788	204789
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-



# Noosa 46

# NOOSA 46

Ø 46.0 / 1168 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



**204794**

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



22 W



14620 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



## Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

## Optional accessories

	Page	204794
Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-



Noosa 46



# NOOSA 46

Ø 46.0 / 1168 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
WARRANTY

REVERSIBLE

NIGHT MODE  
ZZ  
Super Low Speed

## 204795

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included



## 204796

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium

NIGHT MODE  
ZZ  
Super Low Speed



included

DC  
MOTOR

22 W

AIRFLOW

14620  
m<sup>3</sup>/h

6 speed

13°

HANG SURE  
CANOPY

13°

ANTI-UV  
ABS


NATURAL  
BREEZE

TIMER

1/2/4/8 h

INDOOR &  
COVERED  
OUTDOOR USE

### Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

### Optional accessories

	Page	204795	204796
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-

# NOOSA 46

Ø 46.0 / 1168 mm



## 204801

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt



included



22 W



14620 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h



### Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

### Optional accessories

Optional accessories	Page	204801
Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-

# NOOSA 46

Ø 46.0 / 1168 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



included

## 204802

**Housing**

ABS, UV Resistant, black matt

**Blades**

ABS, UV Resistant, black matt



included

## 204803

**Housing**

ABS, UV Resistant, titanium

**Blades**

ABS, UV Resistant, titanium



22 W



14620 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h



### Dimensions



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

### Optional accessories

	Page	204802	204803
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-



Noosa S 2

# NOOSA 52

Ø 52.0 / 1320 mm



## 203371

### Housing

ABS, UV Resistant, white matt

### Blades

ABS, UV Resistant, white matt



included



24 W



13280 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



### Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

### Optional accessories

	Page	203371
Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-



Noosa 52

# NOOSA 52

Ø 52.0 / 1320 mm



## 203369

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, black matt



included



## 204746

### Housing

ABS, UV Resistant, titanium

### Blades

ABS, UV Resistant, titanium



included



24 W



13280 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



## Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

## Optional accessories

	Page	203369	204746
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-



Noosa 52



# NOOSA 52

Ø 52.0 / 1320 mm



**202971**

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



24 W



13280 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h



## Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

## Optional accessories

Page 202971

Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-



# Noosa 52

# NOOSA 52

Ø 52.0 / 1320 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



## 202969

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, black matt



included



## 204747

### Housing

ABS, UV Resistant, titanium

### Blades

ABS, UV Resistant, titanium



included



24 W



13280  
m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h



## Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

## Optional accessories

	Page	202969	204747
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-

# NOOSA 60

Ø 59.8 / 1520 mm



**203373**

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, white matt



included



38 W



14346 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

Page 203373

Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-

# NOOSA 60

Ø 59.8 / 1520 mm

6 YEAR  
PRODUCT  
WARRANTY

3 YEAR  
IN-HOME  
WARRANTY



included

**203372**

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included

**204748**

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



38 W



14346 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h



## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

	Page	203372	204748
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-

# NOOSA 60

Ø 59.8 / 1520 mm



**202973**

**Housing**

ABS, UV Resistant, white matt

**Blades**

ABS, UV Resistant, white matt



included



38 W



14346 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h



## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

Page 202973

Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-

# NOOSA 60

Ø 59.8 / 1520 mm

6 YEAR  
PRODUCT  
WARRANTY

3 YEAR  
IN-HOME  
REVERSIBLE



included

**202972**

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt



included

**204749**

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



38 W



14346 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h



## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

	Page	202972	204749
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-



# Noosa 52



# NOOSA 52

Ø 52.0 / 1320 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



## 204112

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



## 204113

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak



included



24 W



13280  
m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h

### Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

### Optional accessories

	Page	204112	204113
Remote Kit		-	-
Extension Rods	Page 90	203376, 203375	202979, 202977
LED Kit		-	-

# NOOSA 52

Ø 52.0 / 1320 mm



## 204114

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, aged elm



included



24 W



13280 m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h

### Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

### Optional accessories

Page 204114

Remote Kit		-
Extension Rods	Page 90	202979, 202977
LED Kit		-

# NOOSA 52

Ø 52.0 / 1320 mm



## 204117

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, aged elm



included



24 W



13280 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8h

### Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

### Optional accessories

	Page	204117
Remote Kit		-
Extension Rods	Page 90	202979, 202977
LED Kit		-



# Noosa 52

# NOOSA 52

Ø 52.0 / 1320 mm

**6** YEAR  
PRODUCT  
WARRANTY

**3** YEAR  
IN-HOME  
REVERSIBLE



## 204115

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



## 204116

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak



included



24 W



13280  
m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h

### Dimensions



	mm	inches
A	1320	52.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3.5	3,243	926.57
2	6.3	5,794	919.68
3	7.9	7,420	939.24
4	11.4	9,262	812.46
5	16.8	10,847	645.65
6	25.7	13,280	516.73

### Optional accessories

	Page	204115	204116
Remote Kit		-	-
Extension Rods	Page 90	203376, 203375	202979, 202977
LED Kit		-	-

# NOOSA 60

Ø 59.8 / 1520 mm

6 YEAR  
PRODUCT  
WARRANTY

3 YEAR  
IN-HOME  
REVERSIBLE



**204227**

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



38 W



14346  
m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h

## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

Page 204227

Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-

# NOOSA 60

Ø 59.8 / 1520 mm

6  
YEAR  
PRODUCT  
WARRANTY

3  
YEAR  
IN-HOME



## 204228

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, teak



included



## 204229

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, aged elm



included



38 W



14346  
m<sup>3</sup>/h



6 speed




13°



1/2/4/8 h

### Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

### Optional accessories

	Page	204228	204229
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	202979, 202977
LED Kit		-	-



# Noosa GO



# NOOSA 60

Ø 59.8 / 1520 mm

6 YEAR  
PRODUCT  
WARRANTY

3 YEAR  
IN-HOME  
REVERSIBLE



**204231**

Housing

ABS, UV Resistant, white matt

Blades

ABS, UV Resistant, bamboo



included



38 W



14346  
m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8 h

## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

Page 204231

Remote Kit		-
Extension Rods	Page 90	203376, 203375
LED Kit		-



# Noosa 60

# NOOSA 60

Ø 59.8 / 1520 mm



## 204232

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, teak

included



## 204233

### Housing

ABS, UV Resistant, black matt

### Blades

ABS, UV Resistant, aged elm

included



38 W



14346 m<sup>3</sup>/h



6 speed



13°



18W




2000lm



2/8h

## Dimensions



	mm	inches
A	1520	59.8
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.3	3,591	835.12
2	7.2	6,032	837.78
3	10.2	7,638	748.82
4	15.1	9,526	630.86
5	24.9	10,957	440.04
6	37.4	14,346	383.58

## Optional accessories

	Page	204232	204233
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	202979, 202977
LED Kit		-	-



# Comporta

# COMPORTA

Ø 52.0 / 1320 mm

6  
YEAR  
PRODUCT  
WARRANTY

3  
YEAR  
IN-HOME  
WARRANTY



## 202975

### Housing

steel, black matt

### Blades

ABS, sangria



included



32 W



8700 m<sup>3</sup>/h



5 speed




13°



1/2/4/8 h

### Dimensions



	mm	inches
A	1320	52.0
B	349	13.7
C	313	12.32
D	168	6.61
E	74	2.91

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	4.8	3,730	777.08
2	8	3,810	476.25
3	13.1	5,040	384.73
4	23	6,710	291.74
5	31.5	8,700	276.19

### Optional accessories

	Page	202975
Remote Kit		-
Extension Rods	Page 90	202979, 202977
LED Kit		-



*Zapallar*

# ZAPALLAR

Ø 52.0 / 1320 mm

6 | 3  
YEAR  
PRODUCT | YEAR  
WARRANTY | IN-HOME



REVERSIBLE



**202974**

Housing

steel, black matt

Blades

wood, dark natural timber



included



27 W



6970 m<sup>3</sup>/h



5 speed



13°




NATURAL  
BREEZE



1/2/4/8 h

## Dimensions



	mm	inches
A	1320	52.0
B	304	12
C	295	11.61
D	168	6.61
E	74	2.91

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	3	2,450	816.67
2	5	4,370	874
3	8.6	4,800	558.14
4	15.6	5,360	343.59
5	27	6,970	258.15

## Optional accessories

Optional accessories	Page	202974
Remote Kit		-
Extension Rods	Page 90	202979, 202977
LED Kit		-



# Tourbillion 60



# TOURBILLION 60

Ø 60.0 / 1524 mm



## 202963

### Housing

steel, satin nickel

### Blades

aluminium, brushed aluminium



included



## 203367

### Housing

steel, white matt

### Blades

aluminium, white matt



included



47 W



10700 m<sup>3</sup>/h



5 speed



LIGHT ADAPTABLE




1/2/4/8 h



INDOOR & COVERED OUTDOOR USE

## Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	6.3	5,270	836.51
2	11	6,630	602.73
3	19.2	7,650	398.44
4	30	9,520	317.33
5	47	10,700	227.66

## Optional accessories

	Page	202963	203367
Remote Kit		-	-
Extension Rods	Page 90	202976	203376, 203375
LED Kit	Page 87	202967	203374



# Tourbillion 60

# TOURBILLION 60

Ø 60.0 / 1524 mm

**6** YEAR  
PRODUCT  
WARRANTY



## 202964

**Housing**

steel, black matt

**Blades**

aluminium, black matt



included

## 204807

**Housing**

steel, titanium

**Blades**

aluminium, titanium



included



47 W



10700  
m<sup>3</sup>/h



5 speed



LIGHT  
ADAPTABLE




TIMER  
1/2/4/8h



INDOOR &  
COVERED  
OUTDOOR USE

### Dimensions



	mm	inches
A	1524	60.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	6.3	5,270	836.51
2	11	6,630	602.73
3	19.2	7,650	398.44
4	30	9,520	317.33
5	47	10,700	227.66

Page

202964

204807

	-	-
--	---	---

Page 90

202979, 202977

204751, 204752

Page 87

202968

204809



*Tourbillion 80*

# TOURBILLION 80

Ø 80.0 / 2032 mm



## 202965

### Housing

steel, satin nickel

### Blades

aluminium, brushed aluminium



included

## 203368

### Housing

steel, white matt

### Blades

aluminium, white matt



included



58 W



17500 m<sup>3</sup>/h



5 speed



LIGHT ADAPTABLE




1/2/4/8 h



INDOOR & COVERED OUTDOOR USE

## Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	15.5	5,440	350.97
2	22	10,370	471.36
3	34	11,950	351.47
4	48	15,470	322.29
5	58	17,500	301.72

## Optional accessories

	Page	202965	203368
Remote Kit		-	-
Extension Rods	Page 90	202976	203376, 203375
LED Kit	Page 87	202967	203374



# *Tourbillion 80*

# TOURBILLION 80

Ø 80.0 / 2032 mm

**6**  
YEAR  
PRODUCT  
WARRANTY

**3**  
YEAR  
IN-HOME  
WARRANTY



## 202966

Housing

steel, black matt

Blades

aluminium, black matt



included

## 204808

Housing

steel, titanium

Blades

aluminium, titanium



included



58 W



17500  
m<sup>3</sup>/h



5 speed



LIGHT  
ADAPTABLE




TIMER  
1/2/4/8 h



INDOOR &  
COVERED  
OUTDOOR USE

### Dimensions



	mm	inches
A	2032	80.0
B	413	16.3
C	357	14.06
D	150	5.91
E	54	2.13

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	15.5	5,440	350.97
2	22	10,370	471.36
3	34	11,950	351.47
4	48	15,470	322.29
5	58	17,500	301.72

### Optional accessories

	Page	202966	204808
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit	Page 87	202968	204809



# Tourbillion



# TOURBILLION LIGHT

**5**  
YEAR  
WARRANTY




**202967**  
steel,satin nickel / acrylic, opaque



**203374**  
steel,white matt / acrylic, opaque



**202968**  
steel,black matt / acrylic, opaque



**204809**  
steel,titanium / acrylic, opaque

## Dimensions



	mm	inches
A	225	8.9
B	65	2.6

**LED**

18W

neutral  
WHITE

2150lm





# Fan remote

# 203633 REMOTE KIT

**1**  
YEAR  
WARRANTY

## LIGHT

Switch the light on or off, and control the step dimming function.

## SPEED

Choose your speed - low, medium or high.

## TIMER

Switch the fan off automatically after 2 / 4 / 8 hours.



This kit includes:



Batteries  
Included

# DOWNRODS

EGLO extension downrods are supplied with wiring looms for absolute convenience, and a simple installation by a qualified electrician.



Downrod	Colour	Length (mm)
<b>202976</b>	satin nickel	L 1800, Ø 27
<b>202977</b>	black matt	L 1800, Ø 27
<b>202979</b>	black matt	L 900, Ø 27
<b>203375</b>	white matt	L 1800, Ø 27
<b>203376</b>	white matt	L 900, Ø 27
<b>203628</b>	white matt	L 900, Ø 22
<b>203629</b>	white matt	L 1800, Ø 22
<b>203631</b>	black matt	L 900, Ø 22
<b>203632</b>	black matt	L 1800, Ø 22
<b>204311</b>	white matt	L 900, Ø 21
<b>204312</b>	black matt	L 900, Ø 21
<b>204313</b>	white matt	L 1800, Ø 21
<b>204314</b>	black matt	L 1800, Ø 21
<b>204346</b>	white matt	L 900, Ø 27
<b>204347</b>	black matt	L 900, Ø 27
<b>204348</b>	white matt	L 1800, Ø 27
<b>204349</b>	black matt	L 1800, Ø 27
<b>204744</b>	titanium	L 900, Ø 22
<b>204745</b>	titanium	L 1800, Ø 22
<b>204751</b>	titanium	L 900, Ø 27
<b>204752</b>	titanium	L 1800, Ø 27

BONDI	CABARITA	COMPORTA	NEVIS	NEVIS II	NOOSA	TOURBILLION	ZAPALLAR
						•	
		•			•	•	•
		•			•	•	•
					•	•	
					•	•	
•							
•							
•							
•							
			•	•			
			•	•			
			•	•			
			•	•			
	•						
	•						
	•						
	•						
•							
•							
					•	•	
					•	•	



*Vesuvius*

# VESUVIUS

2 Heat/Exhaust/Light

**3**  
YEAR  
WARRANTY



**204152**

Housing

plastic, white



25 W



Ø 100 mm  
1.5 m



260 m<sup>3</sup>/h



Included




3000K  
R80



390 x 220  
Cut Out

## Dimensions



	mm	inches
A	440	17.3
B	241	9.5
C	174	6.9

Attention: Minimum ceiling cavity height of 250mm required for installation.

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	25	260	10.4



# Vesuvius



# VESUVIUS

4 Heat/Exhaust/Light

**3**  
YEAR  
WARRANTY



**204153**

Housing

plastic, white



25 W



4x 275W



Ø 100 mm  
1.5 m



260 m<sup>3</sup>/h



Included




3000K  
R80



300 x 300  
Cut Out

## Dimensions



	mm	inches
A	398	15.7
B	232	9.1
C	168	6.6

Attention: Minimum ceiling cavity height of 250mm required for installation.

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	25	260	10.4

# HEATFLOW

2 Heat/Exhaust/Light

**3**  
YEAR  
WARRANTY

**204154**

Housing  
plastic, white



**204155**

Housing  
plastic, black matt



40 W



Ø 120 mm  
3.0 m



460 m<sup>3</sup>/h



Included



13W




950lm



430 x 250  
Cut Out

## Dimensions



	mm	inches
A	480	18.9
B	260	10.2
C	202	8.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	40	460	11.5

# HEATFLOW

4 Heat/Exhaust/Light

**3**  
YEAR  
WARRANTY

**204156**

Housing  
plastic white



**204157**

Housing  
plastic, black matt



40 W



Ø 120 mm  
3.0 m



460 m<sup>3</sup>/h



Included



13W




950lm



430 x 270  
Cut Out

## Dimensions



	mm	inches
A	480	18.9
B	260	10.2
C	202	8.0

Attention: Minimum ceiling cavity height of 250mm required for installation.

## Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	40	460	11.5

# INFERNO

## HALOGEN HEAT/EXHAUST/LIGHT

**3**  
YEAR  
WARRANTY



**204158**

Housing  
plastic, white

**204159**

Housing  
plastic, black matt



55 W



R7S



Halogen  
1000W



Ø 150 mm  
3.0 m



550 m<sup>3</sup>/h



Included



4x 5W  
GU10




4 x 400lm



470 x 315  
Cut Out

### Dimensions



	mm	inches
A	500	19.7
B	213	8.4
C	206	8.1

Attention: Minimum ceiling cavity height of 250mm required for installation.

### Airflow

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	55	550	10



*Inferno*

# HOW TO READ

SERIES NAME

ARTICLE NUMBER

**NOOSA 46**  
Ø 46.0 / 1168 mm

**204801**

ABS, UV Resistant, white matt

ABS, UV Resistant, white matt

DC 22 W, 14620 m<sup>3</sup>/h, 13°, ABS, LED 18W, 2011lm, AAA, LR03, 1.5V, Micro remote

Speed	max. Watts	m <sup>3</sup> /h	m <sup>3</sup> /h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Accessories: Remote Kit, Extension Rods, LED Kit

Page 90, 203376, 203375

ENERGY INFORMATION

Informations about Speed, Watt, Airflow and Airflow/Watt

## DESCRIPTION

The product description is composed as follows:

Housing material, Housing colour

Blade material, Blade colour

## NOOSA 46

Ø 46.0 / 1168 mm



### 204802

Housing

ABS, UV Resistant, black matt

Blades

ABS, UV Resistant, black matt


### 204803

Housing

ABS, UV Resistant, titanium

Blades

ABS, UV Resistant, titanium



	mm	inches
A	1168	46.0
B	295	11.6
C	285	11.22
D	170	6.69
E	50	1.97

Speed	max. Watts	m³/h	m³/h/W
1	2.4	3,230	1,345.83
2	3.4	5,780	1,700
3	4.5	7,390	1,642.22
4	7	9,530	1,361.43
5	10.9	11,420	1,047.71
6	20	14,620	731

Optional accessories	Page	204802	204803
Remote Kit		-	-
Extension Rods	Page 90	202979, 202977	204751, 204752
LED Kit		-	-

PAGE 2020 49

## PICTOGRAMMES

Technical details are represented as pictogrammes. An overview over all pictogrammes can be found on the next page.

## DIMENSIONS

All dimensions in mm and inches

**Attention!** The dimensions relate solely to the sizes of the fan. Any clearing that would be relevant for safe operating of the fan are not considered.

## OPTIONAL ACCESSORIES

# PIKTOGRAM

## LIGHT COLOUR & LUMEN

The colours of the LED are represented as pictogrammes (see below), their luminous flux directly beneath. The luminous flux is quoted in lumen and describes the amount of light generated by the LED. The higher the value, the brighter is the lamp.



tri colour




neutral white



LED light source

## FUNCTIONS & COMFORT

 airflow	 made of ABS	 4 x 275W E27 R125 heat lamps
 batteries included	 motor type - AC motor	 R7S type halogen heat lamp
 cut out (in mm)	 motor type - DC motor	 1000W halogen heat lamp
 dimmable	 motor type - sensorless driver DC motor	 4 x GU10 type LED globes, max 5W
 not dimmable	 natural breeze	 6 year product / 3 year in-home warranty
 duct included	 quick connect	 5 year in-home warranty
 remote control included	 replaceable LED board	 3 year in-home warranty
 adaptable for remote control	 step dimming	 1 year in-home warranty
 indoor and covered outdoor use	 suitable for sloped ceilings up to specified ° angle	
 fan direction reversible	 timer function	
 light adaptable	 wall switch included	
 made of anti UV ABS	 2 x 275W E27 R125 heat lamp	



# INDEX

Item Number	Page	Item Number	Page	Item Number	Page
202748	31	204113	63	204741	15
202749	31	204114	64	204742	17
202751	33	204115	67	204743	21
202752	33	204116	67	204744	90
202963	79	204117	65	204745	90
202964	81	204152	93	204746	53
202965	83	204153	95	204747	57
202966	85	204154	96	204748	59
202967	87	204155	96	204749	61
202968	87	204156	97	204751	90
202969	57	204157	97	204752	90
202971	55	204158	98	204781	40
202972	61	204159	98	204782	41
202973	60	204169	27	204783	41
202974	77	204171	27	204787	42
202975	75	204172	29	204788	43
202976	90	204173	29	204789	43
202977	90	204227	68	204794	45
202979	90	204228	69	204795	47
203367	79	204229	69	204796	47
203368	83	204231	71	204801	48
203369	53	204232	73	204802	49
203371	51	204233	73	204803	49
203372	59	204304	36	204807	81
203373	58	204305	35	204808	85
203374	87	204306	35	204809	87
203375	90	204307	37		
203376	90	204308	39		
203619	11	204309	39		
203621	13	204311	90		
203622	14	204312	90		
203623	15	204313	90		
203624	16	204314	90		
203625	17	204346	90		
203626	19	204347	90		
203627	21	204348	90		
203628	90	204349	90		
203629	90	204351	23		
203631	90	204352	23		
203632	90	204353	25		
203633	89	204354	25		
204112	63	204739	13		

All previous catalogues and price lists are no longer valid with the issue of this catalogue. Errors, misprints, model and price changes and technical modifications are reserved. We deliver based on our terms of delivery and payment.

The content of this catalogue is protected under copyright law for EGLO Leuchten GmbH.

All rights reserved. Our specific written consent must be obtained before using any illustrations and texts. The pictures are 4C prints and may differ from the original.

The product pictures and ambiences in this catalogue can deviate from reality, and they do not necessarily concur with the usual application of the product.

EGLO does not assume liability for the correctness, completeness or the application depiction of the products and/or the product information.

Design, layout and composition:

EGLO GmbH A-6136 Pill – AUSTRIA, ApplePi Design – Australia

Pictures: EGLO, Adobe Stock, istockphoto.com

---





**EGLO**  
my light | my style

**EGLO LIGHTING AUSTRALIA**

5/339 Archerfield Road,  
Richlands, QLD, 4077

T 07 3375 1413

F 07 3375 1412

E [info@eglolighting.com.au](mailto:info@eglolighting.com.au)

